



PINHOLE KIT INSTRUCTIONS

Mix the Chemicals

This kit will make 250ml of working solution, enough for **30** 4X5 sheets of paper. If you have hard water, use distilled water for mixing.

DEVELOPER (Quintol): Mix package in 200ml of water heated to 50-55 degrees C (122-131F). Stir until dissolved, then fill to make 250ml. Store in the supplied empty bottle. The developer will last 3-4 months in the bottle.

STOP BATH: Add to water to fill bottle to shoulder and shake until dissolved

Fixer: Ready to use

Use tongs to submerge the paper in developer, wear gloves and avoid breathing fumes.

Developing the paper: At 20C, put the exposed paper in developer until fully submersed. Move the paper around the developer every 30 seconds to agitate. Minimum developing time is two minutes. When the image is developed to the point you desire, remove from developer.

Stop Bath: Put the developed paper in stop bath fully submerged for thirty seconds

Fixer: Place paper in fixer fully submerged for 4 minutes, occasionally moving the paper around to agitate the water.

Wash the paper in running water for 5 minutes

Hang to dry

Please take the depleted developer and fixer to the appropriate disposal station.